

CHILDREN & YOUNG PEOPLE'S MENTAL HEALTH: THE FACTS

Children and young people's mental health has never been so high on the public agenda. But it's vital that we have the basic facts if we are to see realised our vision of better mental health for all children, wherever they live, whatever their background or class. The Elliot Simmons Foundation have generously supported the creation of this fact sheet to ensure that everyone in the conversation has access to the best evidence.



Male rates of suicide still remain consistently threefold higher than female rates. However, female suicide rates are currently at their highest rate for a decade. (Samaritans, 2017).

1 in 5 young people aged 16-24 experience a common mental illness such as anxiety or depression at any one time.



Young women are more likely than young men to experience these types of problems. (McManus *et al.*, 2009)

Young people in the youth justice system are 3 times more likely to experience a diagnosable mental health condition than children who don't offend.

(Mental Health Foundation, 2002).

Children affected by learning disabilities are:

- 6 times more likely to experience conduct disorder;
- 4 times more likely to have a diagnosable emotional mental health problem;
- Nearly 2 times as likely to experience a depressive episode.

(Emerson & Hatton, 2007)



of children raised in local authority residential homes meet the criteria for a psychiatric diagnosis. (Luke *et al.*, 2014).

women men aged 16-24 reported suicidal thoughts in the last national mental health survey.

35%

19%

(McManus *et al.*, 2009)

In 2015, 22% of young people aged 15 reported having ever self-harmed (Brooks et al., 2015). Young women in this age group were 3 times more likely to selfharm than young men.

(Hawton et al., 2002).

PTSD affects around 1 in 10 children and young people with refugee histories which is twice as high as rates among children from nonrefugee communities.

(Almqvist & Brandell-Forsberg, 1997; Sack, *et al.*, 1999).



Whilst three quarters of parents of children who are unwell seek help (mostly from schools), only one quarter of children receive NHS support. (Green *et al.*, 2005)

In the last 20 years, young women's experiences of anxiety and depression have increased by around 38%, whereas young men's experiences of the same conditions have decreased by around 2% in the same period.

(McManus et al., 2009)

Men and women from African Caribbean communities have a higher risk of being affected by some mental health difficulties.

Young men from these communities are more likely to receive mental health support through criminal justice routes rather than through health routes. (McManus *et al.* 2009)

(McManus et al., 2009)

Young South Asian females in the UK seem to have a particularly raised risk of self-harm.*

(Hawton & James, 2005)

*But good quality data remains poor



Every £1 spent on group cognitive behavioural therapy for anxiety in adolescence produces benefits of nearly £7. (WSIPP, 2018)

REFERENCES

- Almqvist, K. & Brandell-Forsberg, M. (1997) Refugee children in Sweden: Post-traumatic stress disorder in Iranian preschool children exposed to organized violence. *Child abuse & neglect*, 21 (4), pp. 351-366.
- Brown, E.R., Khan, L. and Parsonage, M. (2012) *A Chance to Change: Delivering effective parenting programmes to transform lives*. London: Centre for Mental Health.
- Emerson, E. and Hatton, C. (2007) The mental health of children and adolescents with learning disabilities in Britain. *Advances in Mental Health and Learning Disabilities*, 1 (3), pp.62-63.
- Green, H. et al. (2005) *The mental health of children and young people in Great Britain 2004*. Basingstoke, Hampshire: Palgrave.
- Hawton, K. & James, A. (2005) Suicide and deliberate self harm in young people. *British Medical Journal*, Volume 330, pp. 891-894.
- Hawton, K., Rodham, K., Evans, E. & Weatherall, R. (2002) Deliberate self harm in adolescents: Self report survey in schools in England. *British Medical Journal*, 325 (7374), pp. 1207-1211.
- Kessler, R. C. et al. (2005) Lifetime prevalence and age-at-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, Volume 62, pp. 593-602.
- Luke, N., Sinclair, I., Woolgar, M. & Sebba, J. (2014) What works in preventing and treating poor mental health in looked after children? London: NSPCC.
- McGorry, P. D., Purcell, R., Hickie, I. B. & Jorm, A. F. (2007) Investing in youth mental health is a best buy. *Medical Journal of Australia*, 187 (7), pp. 5-7.
- McManus, S. et al. (2009) Adult psychiactric morbidity in England, 2007. Leeds: The Health and & Social Care Information Centre, Social Care Statistics.
- Mental Health Foundation (2002) The Mental Health Needs of Young Offenders. London: Mental Health Foundation
- Morrison Gutman, L., Joshi, H., Parsonage, M. & Schoon, I. (2015) *Children of the new century: mental health findings from the Millenium Cohort Study*. London: Centre for Mental Health.
- Papyrus (2018) About us [Online] Available from: www.papyrus-uk.org/about [Accessed 26 April 2018]
- Parsonage, M., Khan, L. and Saunders, A. (2014) *Building a better future: The lifetime costs of childhood behavioural problems and the benefits of early intervention*. London: Centre for Mental Health
- Sack, W. H., Him, C. & Dickason, D. (1999) *Twelve-year follow-up study of Khmer youths who suffered massive war trauma as children*. Journal of the American Academy of Child & Adolescent Psychiatry, 38 (9), pp. 1173-1179.
- Samaritans (2017) Suicide statistics report 2017 [Online] Available from: https://www.samaritans.org/sites/default/files/ kcfinder/files/Suicide_statistics_report_2017_Final.pdf [Accessed 24 April 2018]
- Statham, H., Jaclva, V. & Daly, I. (2012) *The School Report: The experiences of gay young people in Britain's schools in 2012*. London: Stonewall.
- Washington State Institute for Public Policy (2018) *Group cognitive behavioral therapy (CBT) for children with anxiety* [Online] Available from: http://www.wsipp.wa.gov/BenefitCost/ProgramPdf/66/Group-cognitive-behavioral-therapy-CBTfor-children-with-anxiety [Accessed 24 April 2018]

If you're struggling and would like to speak to someone, please reach out to:

- Childline: 0800 1111 / www.childline.org.uk
- Papyrus: 0800 068 4141 / www.papyrus-uk.org / pat@papyrus-uk.org
- The Mix: 0808 808 4994 / www.themix.org.uk

YoungMinds has lots of information: www.youngminds.org.uk and a parents' helpline: 0808 802 5544